



Comparison Performed By



Manufacturer	Model Number	Flow Range (CFM)	Air Filtration	Flow (CFM)		Power (Watts)	Fan Efficacy (W/CFM)	Sensible Recovery Efficiency	Apparent Sensible Effectiveness		Defrost Temp	Type of defrost	
				heating (lo)	heating (hi)				heating (lo)	heating (hi)			
Airira Brands, Inc	155 ECM	40-145	foam filter	heating (lo)	66	33	0.50	66%	72%	25	No Defrost (only effective above 25°)		
				heating (hi)	118	67	0.57	64%	69%				
				cooling	66	33	0.50	18%*	-				
Airira Brands, Inc	200 ERV	75-145	foam filter	heating (lo)	66	68	1.03	72%	81%	25	No Defrost (only effective above 25°)		
				heating (hi)	116	97	0.84	69%	76%				
				cooling (lo)	65	64	0.98	47%*	-				
Aprilaire	8100	120	metal screen	cooling (hi)	117	98	0.84	50%*	-	n/a	No Defrost		
				heating	This information unavailable								
				cooling	This information unavailable								
American Aldes	LT15	60-158	MERV 6	heating (lo)	67	78	1.16	66%	76%	27	at 27°, recirculates 2/20 minutes		
				heating (hi)	118	110	0.93	60%	68%				
				cooling	66	74	1.12	20%*	-				
Broan	ERV 100 HC	60-142	30 ppi foam	heating (lo)	64	62	0.97	68%	80%	23	at 23°, recirculates 6/32 minutes at -17° recirculates 6/20 minutes		
				heating (hi)	131	124	0.95	67%	73%				
				cooling	64	60	0.94	49%*	-				
Bryant	ERVBBLHA1200A	225	foam filter	heating (lo)	80	84	1.05	60%	72%	23	at 23° periodic recirculation		
				heating (hi)	167	169	1.01	56%	66%				
				cooling	82	81	0.99	52%*	-				
Fantech, Inc	SHR 3005R 2 core	65-231	Electrostatic	heating (lo)	64	126	1.97	76%	91%	23	at 23°, recirculates 5/30 minutes returns to normal cycle @ 32°		
				heating (hi)	157	262	1.67	78%	91%				
				cooling (lo)	115	206	1.79	18%*	-				
Fantech, Inc	VHR 2005R	60-200	Electrostatic	cooling (hi)	159	260	1.64	17%*	-	23	at 23°, recirculates 5/30 minutes returns to normal cycle @ 32°		
				heating (lo)	65	108	1.66	62%	77%				
				heating (hi)	191	246	1.29	60%	71%				
Renewaire LLC	EV 200	100-200	MERV 8	heating	181	157	0.87	78%	85%	n/a	No Defrost		
				cooling	180	155	0.86	52%*	-				
				heating (lo)	65	48	0.74	83%	96%				
Ultimate Air	Recoup-Aerator 200DX	30-200	MERV 12	heating (hi)	205	260	1.27	81%	93%	12	Modulated Heat		
				cooling (lo)	64	50	0.78	53%*	-				
				cooling (hi)	134	121	0.90	44%*	-				
Trane	TERVR200A9P00A	100-210	Polyester Fiber	heating (hi)	181	157	0.87	78%	85%	n/a	info not available		
				cooling	180	155	0.86	52%*	-				
				heating (lo)	49	24	0.49	75%	83%				
Venmar Ventilation	AVS HRV EKO 1.5	40-157	MERV 9	heating (hi)	122	54	0.44	67%	72%	23	at 23°, recirculates air 7/25 minutes at -17°, recirculates 10/22 minutes		
				heating (lo)	64	24	0.38	78%	84%				
				cooling (lo)	65	40	0.62	62%*	-				
Zehnder	ComfoAir 350 ERV	29-218	G4 (MERV 7/8)	heating	100	42	0.42	74%	81%	not stated	Recirculation, Optional Electric Heat		
				heating (lo)	119	137	1.15	69%	77%				
				heating (hi)	177	201	1.14	64%	71%				
Venmar Ventilation	AVS Duo 1-9	117-180	20 ppi foam	cooling	116	132	1.14	70%*	-	23	at 23°, recirculates air 9 /60 minutes at 5°, recirculates 9/32 minutes at -19°, recirculates 9/20 minutes		
				heating (lo)	119	137	1.15	69%	77%				
				heating (hi)	177	201	1.14	64%	71%				

* Indicates Total Recovery Efficiency

Comparison Performed By



Manufacturer	Model Number	Air Filtration	Fan Efficacy	Sensible Recovery Efficiency	Apparent Sensible Effectiveness	Score (points out of 100)
Aria Brands, Inc	155 ECM	2	7.72	6.50	7.05	58.17
Aria Brands, Inc	200 ERV	2	5.61	7.05	7.85	56.29
Aprilaire	8100	2	Information unavailable	Information unavailable	7.70	Incomplete
American Aldes	LT15	3.75	5.01	6.30	7.20	55.65
Broan	ERV 100HC	2	5.49	6.75	7.65	54.72
Bryant	ERVBLLHA	2	5.10	5.80	6.90	49.50
Fantech, Inc	SHR 3005R	2	0.95	7.70	9.10	49.38
Fantech, Inc	VHR 2005R	2	2.76	6.10	7.40	45.66
Renewaire LLC	EV 200	5	5.96	7.80	8.50	68.15
UltimateAir	200DX	7.5	5.25	8.20	9.45	75.99
Trane	TERVR200A9P00A	2	5.96	7.80	8.50	60.65
Venmar	AVS HRV EKO 1.5	5.625	8.07	7.10	7.75	71.37
Zehnder	ComfoAir 350	5	7.47	7.37	8.05	69.71
Venmar	AVS Duo 1.9	2	4.51	6.65	7.40	51.40

Comparison Performed By



UltimateAir®

Manufacturer	Model Number	Balanced Flow Control	Speeds	EC Fan Motors	Indoor Pressure Control	CO2 Control	Smart Cooling	0-10 volt Control Input	Drain Required	Warranty	
										Core	Parts
Aria Brands, Inc	155 ECM		5	✓					YES	Core	lifetime
Aria Brands, Inc	200 ERV		5						NO	Core	5 yrs
Aprilaire	8100		1						NO	Core	5 yrs
American Aldes	LT15		2						YES	Core	15 yrs
Broan	ERV 100HC		2						YES	Core	5 yrs
Bryant	ERV/BLLHA		3						NO	Core	10 yrs
Fantech, Inc	SHR 3005R		2						YES	Core	lifetime
Fantech, Inc	VHR 2005R		2						YES	Core	lifetime
Renewaire LLC	EV 200		1						NO	Core	10 yr
UltimateAir	200DX	✓	Cont. Variab.	✓	✓	✓	✓	✓	NO	Core	none(washable)
Trane	TERVR200A9P00A		1						NO	Core	10 yrs
Venmar	AVS HRV EKO 1.5		4	✓					YES	Core	lifetime
Zehnder	ComfoAir 350		variable	✓		✓	✓		YES	Core	2 yrs
Venmar	AVS Duo 1.9		2						NO	Core	5 yrs

